



Magnitude Simba Apache Spark JDBC Data Connector

Installation and Configuration Guide

Version 2.6.22

January 2022

Copyright

This document was released in January 2022.

Copyright ©2014-2021 Magnitude Software, Inc. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from Magnitude, Inc.

The information in this document is subject to change without notice. Magnitude, Inc. strives to keep this information accurate but does not warrant that this document is error-free.

Any Magnitude product described herein is licensed exclusively subject to the conditions set forth in your Magnitude license agreement.

Simba, the Simba logo, SimbaEngine, and Simba Technologies are registered trademarks of Simba Technologies Inc. in Canada, the United States and/or other countries. All other trademarks and/or servicemarks are the property of their respective owners.

All other company and product names mentioned herein are used for identification purposes only and may be trademarks or registered trademarks of their respective owners.

Information about the third-party products is contained in a third-party-licenses.txt file that is packaged with the software.

Contact Us

Magnitude Software, Inc.

www.magnitude.com

About This Guide

Purpose

The *Magnitude Simba Apache Spark JDBC Data Connector Installation and Configuration Guide* explains how to install and configure the Magnitude Simba Apache Spark JDBC Data Connector on all supported platforms. The guide also provides details related to features of the connector.

Audience

The guide is intended for end users of the Simba Apache Spark JDBC Connector.

Knowledge Prerequisites

To use the Simba Apache Spark JDBC Connector, the following knowledge is helpful:

- Familiarity with the platform on which you are using the Simba Apache Spark JDBC Connector
- Ability to use the data store to which the Simba Apache Spark JDBC Connector is connecting
- An understanding of the role of JDBC technologies in connecting to a data store
- Experience creating and configuring JDBC connections
- Exposure to SQL

Document Conventions

Italics are used when referring to book and document titles.

Bold is used in procedures for graphical user interface elements that a user clicks and text that a user types.

Monospace font indicates commands, source code or contents of text files.

Note:

A text box with a pencil icon indicates a short note appended to a paragraph.

Important:

A text box with an exclamation mark indicates an important comment related to the preceding paragraph.

Contents

About the Simba Apache Spark JDBC Connector	8
System Requirements	9
Simba Apache Spark JDBC Connector Files	10
Installing and Using the Simba Apache Spark JDBC Connector	11
Referencing the JDBC Connector Libraries	11
Registering the Connector Class	12
Building the Connection URL	13
Configuring Authentication	15
Using No Authentication	15
Using Kerberos	16
Using User Name	17
Using User Name And Password (LDAP)	17
Using OAuth 2.0	18
Using an API Signing Key	19
Using Token-Based Authentication	20
Authentication Mechanisms	20
Configuring Kerberos Authentication for Windows	22
Increasing the Connection Speed	28
Configuring SSL	29
Configuring Proxy Connections	31
Configuring Virtual Private Cloud (VPC) Services	32
Configuring AOSS Dynamic Service Discovery	34
Configuring AOSS Connections	34
Configuring SSL for AOSS Connections	35
Configuring Logging	38
Features	40
SQL Query versus HiveQL Query	40
Data Types	40
Catalog and Schema Support	41

Write-back	41
Dynamic Service Discovery using DataStax AOSS	42
Security and Authentication	42
Connector Configuration Options	44
AllowSelfSignedCerts	44
AOSS_AllowSelfSignedCerts	45
AOSS_AuthMech	45
AOSS_CAIssuedCertsMismatch	46
AOSS_PWD	46
AOSS_UID	47
AOSS_SSL	47
AOSS_SSLKeyStore	48
AOSS_SSLKeyStorePwd	48
AOSS_SSLTrustStore	49
AOSS_SSLTrustStorePwd	49
AOSS_SubjectAlternativeNamesHostNames	50
AOSSStatusEndpoints	50
AOSSStatusRequestTimeout	51
AsyncExecPollInterval	51
AuthMech	52
Auth_AccessToken	52
Auth_Flow	52
CAIssuedCertsMismatch	53
CatalogSchemaSwitch	53
DecimalColumnScale	54
DefaultStringColumnLength	54
DelegationUID	54
DnsResolver	55
DnsResolverArg	55
FastConnection	55
http.header.	56
httpPath	56
IgnoreTransactions	57
KrbAuthType	57
KrbHostFQDN	58

KrbRealm	58
KrbServiceName	59
LogLevel	59
LogPath	60
OCIProfile	60
OCIConfigFile	61
PreparedMetaLimitZero	61
ProxyAuth	61
ProxyHost	62
ProxyPort	62
ProxyPWD	62
ProxyUID	63
PWD	63
RateLimitRetry	63
RateLimitRetryTimeout	64
RowsFetchedPerBlock	64
ServerVersion	64
SocketFactory	65
SocketFactoryArg	65
SocketTimeout	65
SparkServerType	66
SSL	66
SSLKeyStore	67
SSLKeyStoreProvider	67
SSLKeyStorePwd	68
SSLKeyStoreType	68
SSLTrustStore	68
SSLTrustStoreProvider	69
SSLTrustStorePwd	69
SSLTrustStoreType	69
StripCatalogName	70
SubjectAlternativeNamesHostNames	70
TemporarilyUnavailableRetry	71
TemporarilyUnavailableRetryTimeout	71
TransportMode	71
UID	72

UseNativeQuery	72
UserAgentEntry	73
UseProxy	73
Third-Party Trademarks	75

About the Simba Apache Spark JDBC Connector

The Simba Apache Spark JDBC Connector is used for direct SQL and HiveQL access to Apache Hadoop / Spark, enabling Business Intelligence (BI), analytics, and reporting on Hadoop / Spark-based data. The connector efficiently transforms an application's SQL query into the equivalent form in HiveQL, which is a subset of SQL-92. If an application is Spark-aware, then the connector is configurable to pass the query through to the database for processing. The connector interrogates Spark to obtain schema information to present to a SQL-based application. Queries, including joins, are translated from SQL to HiveQL. For more information about the differences between HiveQL and SQL, see [Features](#) on page 40.

The Simba Apache Spark JDBC Connector complies with the JDBC 4.1 and 4.2 data standards. JDBC is one of the most established and widely supported APIs for connecting to and working with databases. At the heart of the technology is the JDBC connector, which connects an application to the database. For more information about JDBC, see *Data Access Standards* on the Simba Technologies website: <https://www.simba.com/resources/data-access-standards-glossary>.

This guide is suitable for users who want to access data residing within Spark from their desktop environment. Application developers might also find the information helpful. Refer to your application for details on connecting via JDBC.

System Requirements

Each machine where you use the Simba Apache Spark JDBC Connector must have Java Runtime Environment (JRE) 7.0 or 8.0 or 11.0 installed. If you are using the connector with JDBC API version 4.2, then you must use JRE 8.0.

The connector supports Apache Spark versions 1.6 and 2.2 through 3.0.

 **Important:**

The connector only supports connections to Spark Thrift Server instances. It does not support connections to Shark Server instances.

Simba Apache Spark JDBC Connector Files

The Simba Apache Spark JDBC Connector is delivered in the following ZIP archives, where *[Version]* is the version number of the connector:

- SparkJDBC41_*[Version]*.zip
- SparkJDBC42_*[Version]*.zip

The archive contains the connector supporting the JDBC API version indicated in the archive name, as well as release notes and third-party license information. In addition, the required third-party libraries and dependencies are packaged and shared in the connector JAR file in the archive.

Installing and Using the Simba Apache Spark JDBC Connector

To install the Simba Apache Spark JDBC Connector on your machine, extract the files from the appropriate ZIP archive to the directory of your choice.

Important:

If you received a license file through email, then you must copy the file into the same directory as the connector JAR file before you can use the Simba Apache Spark JDBC Connector.

To access a Spark data store using the Simba Apache Spark JDBC Connector, you need to configure the following:

- The list of connector library files (see [Referencing the JDBC Connector Libraries](#) on page 11)
- The `Driver` or `DataSource` class (see [Registering the Connector Class](#) on page 12)
- The connection URL for the connector (see [Building the Connection URL](#) on page 13).

Important:

The Simba Apache Spark JDBC Connector provides read-write access to Spark Thrift Server instances. It does not support connections to Shark Server instances.

Referencing the JDBC Connector Libraries

Before you use the Simba Apache Spark JDBC Connector, the JDBC application or Java code that you are using to connect to your data must be able to access the connector JAR files. In the application or code, specify all the JAR files that you extracted from the ZIP archive.

Using the Connector in a JDBC Application

Most JDBC applications provide a set of configuration options for adding a list of connector library files. Use the provided options to include all the JAR files from the ZIP archive as part of the connector configuration in the application. For more information, see the documentation for your JDBC application.

Using the Connector in Java Code

You must include all the connector library files in the class path. This is the path that the Java Runtime Environment searches for classes and other resource files. For more information, see "Setting the Class Path" in the appropriate Java SE Documentation.

For Java SE 7:

- For Windows:
<http://docs.oracle.com/javase/7/docs/technotes/tools/windows/classpath.html>
- For Linux and Solaris:
<http://docs.oracle.com/javase/7/docs/technotes/tools/solaris/classpath.html>

For Java SE 8:

- For Windows:
<http://docs.oracle.com/javase/8/docs/technotes/tools/windows/classpath.html>
- For Linux and Solaris:
<http://docs.oracle.com/javase/8/docs/technotes/tools/unix/classpath.html>

Registering the Connector Class

Before connecting to your data, you must register the appropriate class for your application.

The following classes are used to connect the Simba Apache Spark JDBC Connector to Spark data stores:

- The `Driver` classes extend `java.sql.Driver`.
- The `DataSource` classes extend `javax.sql.DataSource` and `javax.sql.ConnectionPoolDataSource`.

The connector supports the following fully-qualified class names (FQCNs) that are independent of the JDBC version:

- `com.simba.spark.jdbc.Driver`
- `com.simba.spark.jdbc.DataSource`

The following sample code shows how to use the `DriverManager` class to establish a connection for JDBC 4.2:

```
private static Connection connectViaDM() throws Exception
{
```

```
Connection connection = null;
Class.forName(DRIVER_CLASS);
connection = DriverManager.getConnection(CONNECTION_
URL);
return connection;
}
```

The following sample code shows how to use the `DataSource` class to establish a connection:

```
private static Connection connectViaDS() throws Exception
{
    Connection connection = null;
    Class.forName(DRIVER_CLASS);
    DataSource ds = new com.simba.spark.jdbc.DataSource
();
    ds.setURL(CONNECTION_URL);
    connection = ds.getConnection();
    return connection;
}
```

Building the Connection URL

Use the connection URL to supply connection information to the data store that you are accessing. The following is the format of the connection URL for the Simba Apache Spark JDBC Connector, where *[Host]* is the DNS or IP address of the Spark server and *[Port]* is the number of the TCP port that the server uses to listen for client requests:

```
jdbc:spark://[Host]:[Port]
```

Note:

By default, Spark uses port 10000.

By default, the connector uses the schema named **default** and authenticates the connection using the user name **spark**.

You can specify optional settings such as the schema to use or any of the connection properties supported by the connector. For a list of the properties available in the connector, see [Connector Configuration Options](#) on page 44. If you specify a property

that is not supported by the connector, then the connector attempts to apply the property as a Spark server-side property for the client session.

The following is the format of a connection URL that specifies some optional settings:

```
jdbc:spark://[Host]:[Port]/[Schema];[Property1]=[Value];  
[Property2]=[Value];...
```

For example, to connect to port 11000 on an Spark server installed on the local machine, use a schema named default2, and authenticate the connection using a user name and password, you would use the following connection URL:

```
jdbc:  
spark  
://localhost:11000/default2;AuthMech=3;UID=simba;PWD=simba
```

Important:

- Properties are case-sensitive.
- Do not duplicate properties in the connection URL.

Note:

If you specify a schema in the connection URL, you can still issue queries on other schemas by explicitly specifying the schema in the query. To inspect your databases and determine the appropriate schema to use, type the `show databases` command at the Spark command prompt.

Configuring Authentication

The Simba Apache Spark JDBC Connector supports the following authentication mechanisms:

- No Authentication
- Kerberos
- User Name
- User Name And Password
- OAuth 2.0
- API Signing Key
- Token-Based Authentication

You configure the authentication mechanism that the connector uses to connect to Spark by specifying the relevant properties in the connection URL.

For information about selecting an appropriate authentication mechanism when using the Simba Apache Spark JDBC Connector, see [Authentication Mechanisms](#) on page 20.

For information about the properties you can use in the connection URL, see [Connector Configuration Options](#) on page 44.

Note:

In addition to authentication, you can configure the connector to connect over SSL. For more information, see [Configuring SSL](#) on page 29.

Using No Authentication

You provide this information to the connector in the connection URL. For more information about the syntax of the connection URL, see [Building the Connection URL](#) on page 13.

To configure a connection without authentication:

1. Set the `AuthMech` property to 0.
2. Set the `transportMode` property to `binary`.

For example:

```
jdbc:spark://localhost:10000;AuthMech=0;transportMode=binary;
```

Using Kerberos

Kerberos must be installed and configured before you can use this authentication mechanism. For information about configuring and operating Kerberos on Windows, see [Configuring Kerberos Authentication for Windows](#) on page 22. For other operating systems, see the MIT Kerberos documentation: <http://web.mit.edu/kerberos/krb5-latest/doc/>.

You provide this information to the connector in the connection URL. For more information about the syntax of the connection URL, see [Building the Connection URL](#) on page 13.

Note:

When you use this authentication mechanism, SASL is the only Thrift transport protocol that is supported. The connector uses SASL by default, so you do not need to set the `transportMode` property.

To configure default Kerberos authentication:

1. Set the `AuthMech` property to 1.
2. To use the default realm defined in your Kerberos setup, do not set the `KrbRealm` property.

If your Kerberos setup does not define a default realm or if the realm of your Spark server is not the default, then set the `KrbRealm` property to the realm of the Spark server.

3. Set the `KrbHostFQDN` property to the fully qualified domain name of the Spark server host.

For example, the following connection URL connects to a Spark server with Kerberos enabled, but without SSL enabled:

```
jdbc:spark://node1.example.com:10000;AuthMech=1;
KrbRealm=EXAMPLE.COM;KrbHostFQDN=node1.example.com;
KrbServiceName=spark
```

In this example, Kerberos is enabled for JDBC connections, the Kerberos service principal name is `spark/node1.example.com@EXAMPLE.COM`, the host name for the data source is `node1.example.com`, and the server is listening on port 10000 for JDBC connections.

Using User Name

This authentication mechanism requires a user name but does not require a password. The user name labels the session, facilitating database tracking.

You provide this information to the connector in the connection URL. For more information about the syntax of the connection URL, see [Building the Connection URL](#) on page 13.

To configure User Name authentication:

1. Set the `AuthMech` property to 2.
2. Set the `transportMode` property to `sasl`.
3. Set the `UID` property to an appropriate user name for accessing the Spark server.

For example:

```
jdbc:
spark
://node1.example.com:10000;AuthMech=2;
transportMode=sasl;UID=spark
```

Using User Name And Password (LDAP)

This authentication mechanism requires a user name and a password. It is most commonly used with LDAP authentication.

You provide this information to the connector in the connection URL. For more information about the syntax of the connection URL, see [Building the Connection URL](#) on page 13.

To configure User Name And Password authentication:

1. Set the `AuthMech` property to 3.
2. Set the `transportMode` property to the transport protocol that you want to use in the Thrift layer.
3. If you set the `transportMode` property to `http`, then set the `httpPath` property to the partial URL corresponding to the Spark server. Otherwise, do not set the `httpPath` property.
4. Set the `UID` property to an appropriate user name for accessing the Spark server.
5. Set the `PWD` property to the password corresponding to the user name you provided.

For example, the following connection URL connects to a Spark server with LDAP authentication enabled:

```
jdbc:  
spark  
://node1.example.com:10000;AuthMech=3;  
transportMode=http;httpPath=cliservice;UID=spark;PWD=simba;
```

In this example, user name and password (LDAP) authentication is enabled for JDBC connections, the LDAP user name is `spark`, the password is `simba`, and the server is listening on port 10000 for JDBC connections.

Using OAuth 2.0

This authentication mechanism requires a valid OAuth 2.0 access token. Be aware that access tokens typically expire after a certain amount of time, after which you must either refresh the token or obtain a new one from the server.

You provide this information to the connector in the connection URL. For more information about the syntax of the connection URL, see [Building the Connection URL](#) on page 13.

Note:

When the access token expires, the connector will return an error with `SQLState 08006`. To provide the connector with a new access token, use `Connection.setClientInfo()` with `"Auth_AccessToken"` as the key and the new access token as the value. The connector will update the access token and use the newly provided token for any subsequent calls to the server.

For more information regarding `Connection.setClientInfo()` please refer to <https://docs.oracle.com/javase/8/docs/api/java/sql/Connection.html#setClientInfo-java.lang.String-java.lang.String->

To configure OAuth 2.0 authentication:

1. Set the `AuthMech` property to 11.
2. Set the `Auth_Flow` property to 0.
3. Set the `Auth_AccessToken` property to your access token.

Using an API Signing Key

This authentication mechanism requires you to have credentials stored in an OCI configuration file.

Note:

The connector only reads from the configuration file. It does not attempt to write to the file.

You provide information about the configuration file to the connector in the connection URL. For more information about the syntax of the connection URL, see [Building the Connection URL](#) on page 13.

To configure authentication using an API signing key:

1. Set the `SparkServerType` property to `DFI`.
2. Optionally, set the `OCIConfigFile` property to the absolute path to the OCI configuration file to use for the connection.
3. Optionally, set the `OCIProfile` property to the name of the OCI profile to use for the connection.

When you initiate a connection using an API signing key, the connector uses the following behavior in case of errors:

1. If no configuration file is specified, that is, if `OCIConfigFile` is omitted or left blank, the connector first attempts to locate the configuration file in the default location:
 - For Windows, the default location is:
`%HOMEDRIVE%%HOMEPATH%\oci\config`
 - For non-Windows platforms, the default location is: `~/oci/config`
2. If the configuration file cannot be located in the default location and the `OCI_CLI_CONFIG_FILE` environment variable is specified, the connector next attempts to locate the configuration file using the value of the environment variable.
3. If the configuration file cannot be located, or the profile cannot be opened, the connector falls back to token-based authentication. For more information, see [Using Token-Based Authentication](#) on page 20.
4. If an error occurs when using the credentials from the profile, the connector returns an error. In this case, the connector does not fall back to token-based authentication.

Using Token-Based Authentication

Token-based authentication is used to interactively authenticate the connection for a single session.

When you initiate a connection using token-based authentication, the connector attempts to open a web browser. You may be prompted to type your credentials in the browser.

You provide information about the OCI credentials to the connector in the connection URL. For more information about the syntax of the connection URL, see [Building the Connection URL](#) on page 13.

To configure OCI credential authentication:

1. Set the `SparkServerType` property to `DFI`.
2. Set the `OCIConfigFile` property to a path that does not contain an OCI configuration file.

Authentication Mechanisms

To connect to a Spark server, you must configure the Simba Apache Spark JDBC Connector to use the authentication mechanism that matches the access requirements of the server and provides the necessary credentials. To determine the authentication settings that your Spark server requires, check the server configuration and then refer to the corresponding section below.

Spark Thrift Server supports the following authentication mechanisms:

- No Authentication (see [Using No Authentication](#) on page 15)
- Kerberos (see [Using Kerberos](#) on page 16)
- User Name (see [Using User Name](#) on page 17)
- User Name And Password (see [Using User Name And Password \(LDAP\)](#) on page 17)

Most default configurations of Spark Thrift Server require User Name authentication. If you are unable to connect to your Spark server using User Name authentication, then verify the authentication mechanism configured for your Spark server by examining the `hive-site.xml` file. Examine the following properties to determine which authentication mechanism your server is set to use:

- `hive.server2.authentication`: This property sets the authentication mode for Spark Server 2. The following values are available:

- `NONE` enables plain SASL transport. This is the default value.
- `NOSASL` disables the Simple Authentication and Security Layer (SASL).
- `KERBEROS` enables Kerberos authentication and delegation token authentication.
- `PLAINSASL` enables user name and password authentication using a cleartext password mechanism.
- `LDAP` enables user name and password authentication using the Lightweight Directory Access Protocol (LDAP).
- `hive.server2.enable.doAs`: If this property is set to the default value of `TRUE`, then Spark processes queries as the user who submitted the query. If this property is set to `FALSE`, then queries are run as the user that runs the `hiveserver2` process.

The following table lists the authentication mechanisms to configure for the connector based on the settings in the `hive-site.xml` file.

<code>hive.server2.authentication</code>	<code>hive.server2.enable.doAs</code>	Connector Authentication Mechanism
<code>NOSASL</code>	<code>FALSE</code>	No Authentication
<code>KERBEROS</code>	<code>TRUE</code> or <code>FALSE</code>	Kerberos
<code>NONE</code>	<code>TRUE</code> or <code>FALSE</code>	User Name
<code>PLAINSASL</code> or <code>LDAP</code>	<code>TRUE</code> or <code>FALSE</code>	User Name And Password

Note:

It is an error to set `hive.server2.authentication` to `NOSASL` and `hive.server2.enable.doAs` to `true`. This configuration will not prevent the service from starting up, but results in an unusable service.

For more information about authentication mechanisms, refer to the documentation for your Hadoop / Spark distribution. See also "Running Hadoop in Secure Mode" in the Apache Hadoop documentation: http://hadoop.apache.org/docs/r0.23.7/hadoop-project-dist/hadoop-common/ClusterSetup.html#Running_Hadoop_in_Secure_Mode.

Using No Authentication

When `hive.server2.authentication` is set to `NOSASL`, you must configure your connection to use No Authentication.

Using Kerberos

When connecting to a Spark Thrift Server instance and `hive.server2.authentication` is set to `KERBEROS`, you must configure your connection to use Kerberos or Delegation Token authentication.

Using User Name

When connecting to a Spark Thrift Server instance and `hive.server2.authentication` is set to `NONE`, you must configure your connection to use User Name authentication. Validation of the credentials that you include depends on `hive.server2.enable.doAs`:

- If `hive.server2.enable.doAs` is set to `TRUE`, then the server attempts to map the user name provided by the connector from the connector configuration to an existing operating system user on the host running Spark Thrift Server. If this user name does not exist in the operating system, then the user group lookup fails and existing HDFS permissions are used. For example, if the current user group is allowed to read and write to the location in HDFS, then read and write queries are allowed.
- If `hive.server2.enable.doAs` is set to `FALSE`, then the user name in the connector configuration is ignored.

If no user name is specified in the connector configuration, then the connector defaults to using **spark** as the user name.

Using User Name And Password

When connecting to a Spark Thrift Server instance and the server is configured to use the SASL-PLAIN authentication mechanism with a user name and a password, you must configure your connection to use User Name And Password authentication.

Configuring Kerberos Authentication for Windows

You can configure your Kerberos setup so that you use the MIT Kerberos Ticket Manager to get the Ticket Granting Ticket (TGT), or configure the setup so that you can use the connector to get the ticket directly from the Key Distribution Center (KDC). Also, if a client application obtains a Subject with a TGT, it is possible to use that Subject to authenticate the connection.

Downloading and Installing MIT Kerberos for Windows

To download and install MIT Kerberos for Windows 4.0.1:

1. Download the appropriate Kerberos installer:
 - For a 64-bit machine, use the following download link from the MIT Kerberos website: <http://web.mit.edu/kerberos/dist/kfw/4.0/kfw-4.0.1-amd64.msi>.
 - For a 32-bit machine, use the following download link from the MIT Kerberos website: <http://web.mit.edu/kerberos/dist/kfw/4.0/kfw-4.0.1-i386.msi>.

Note:

The 64-bit installer includes both 32-bit and 64-bit libraries. The 32-bit installer includes 32-bit libraries only.

2. To run the installer, double-click the `.msi` file that you downloaded.
3. Follow the instructions in the installer to complete the installation process.
4. When the installation completes, click **Finish**.

Using the MIT Kerberos Ticket Manager to Get Tickets

Setting the KRB5CCNAME Environment Variable

You must set the KRB5CCNAME environment variable to your credential cache file.

To set the KRB5CCNAME environment variable:

1. Click **Start** , then right-click **Computer**, and then click **Properties**.
2. Click **Advanced System Settings**.
3. In the System Properties dialog box, on the **Advanced** tab, click **Environment Variables**.
4. In the Environment Variables dialog box, under the System Variables list, click **New**.
5. In the **New System Variable** dialog box, in the Variable Name field, type **KRB5CCNAME**.
6. In the **Variable Value** field, type the path for your credential cache file. For example, type `C:\KerberosTickets.txt`.
7. Click **OK** to save the new variable.
8. Make sure that the variable appears in the System Variables list.

9. Click **OK** to close the Environment Variables dialog box, and then click **OK** to close the System Properties dialog box.
10. Restart your machine.

Getting a Kerberos Ticket

To get a Kerberos ticket:

1. Click **Start** , then click **All Programs**, and then click the **Kerberos for Windows (64-bit)** or **Kerberos for Windows (32-bit)** program group.
2. Click **MIT Kerberos Ticket Manager**.
3. In the MIT Kerberos Ticket Manager, click **Get Ticket**.
4. In the Get Ticket dialog box, type your principal name and password, and then click **OK**.

If the authentication succeeds, then your ticket information appears in the MIT Kerberos Ticket Manager.

Authenticating to the Spark Server

You provide this information to the connector in the connection URL. For more information about the syntax of the connection URL, see [Building the Connection URL](#) on page 13.

To authenticate to the Spark server:

- Use a connection URL that has the following properties defined:
 - `AuthMech`
 - `KrbHostFQDN`
 - `KrbRealm`
 - `KrbServiceName`

For detailed information about these properties, see [Connector Configuration Options](#) on page 44

Using the Connector to Get Tickets

Deleting the KRB5CCNAME Environment Variable

To enable the connector to get Ticket Granting Tickets (TGTs) directly, make sure that the KRB5CCNAME environment variable has not been set.

To delete the KRB5CCNAME environment variable:

1. Click the **Start** button , then right-click **Computer**, and then click **Properties**.
2. Click **Advanced System Settings**.
3. In the System Properties dialog box, click the **Advanced** tab and then click **Environment Variables**.
4. In the Environment Variables dialog box, check if the KRB5CCNAME variable appears in the System variables list. If the variable appears in the list, then select the variable and click **Delete**.
5. Click **OK** to close the Environment Variables dialog box, and then click **OK** to close the System Properties dialog box.

Setting Up the Kerberos Configuration File**To set up the Kerberos configuration file:**

1. Create a standard `krb5.ini` file and place it in the `C:\Windows` directory.
2. Make sure that the KDC and Admin server specified in the `krb5.ini` file can be resolved from your terminal. If necessary, modify `C:\Windows\System32\drivers\etc\hosts`.

Setting Up the JAAS Login Configuration File**To set up the JAAS login configuration file:**

1. Create a JAAS login configuration file that specifies a keytab file and `doNotPrompt=true`.

For example:

```
Client {
  com.sun.security.auth.module.Krb5LoginModule required
  useKeyTab=true
  keyTab="PathToTheKeyTab"
  principal="simba@SIMBA"
  doNotPrompt=true;
};
```

2. Set the `java.security.auth.login.config` system property to the location of the JAAS file.

For example: `C:\KerberosLoginConfig.ini`.

Authenticating to the Spark Server

You provide this information to the connector in the connection URL. For more information about the syntax of the connection URL, see [Building the Connection URL](#) on page 13.

To authenticate to the Spark server:

- Use a connection URL that has the following properties defined:
 - AuthMech
 - KrbHostFQDN
 - KrbRealm
 - KrbServiceName

For detailed information about these properties, see [Connector Configuration Options](#) on page 44.

Using an Existing Subject to Authenticate the Connection

If the client application obtains a Subject with a TGT, then that Subject can be used to authenticate the connection to the server.

To use an existing Subject to authenticate the connection:

1. Create a PrivilegedAction for establishing the connection to the database.

For example:

```
// Contains logic to be executed as a privileged action
public class AuthenticateDriverAction
implements PrivilegedAction<Void>
{
// The connection, which is established as a
PrivilegedAction
Connection con;
// Define a string as the connection URL
static String ConnectionURL =
"jdbc:spark://192.168.1.1:10000";
/**
* Logic executed in this method will have access to the
* Subject that is used to "doAs". The connector will get
* the Subject and use it for establishing a connection
* with the server.
```

```
*/
@Override
public Void run()
{
    try
    {
        // Establish a connection using the connection URL
        con = DriverManager.getConnection(ConnectionURL);
    }
    catch (SQLException e)
    {
        // Handle errors that are encountered during
        // interaction with the data store
        e.printStackTrace();
    }
    catch (Exception e)
    {
        // Handle other errors
        e.printStackTrace();
    }
    return null;
}
}
```

2. Run the PrivilegedAction using the existing Subject, and then use the connection.

For example:

```
// Create the action
AuthenticateDriverAction authenticateAction = new
AuthenticateDriverAction();
// Establish the connection using the Subject for
// authentication.
Subject.doAs(loginConfig.getSubject(),
authenticateAction);
// Use the established connection.
authenticateAction.con;
```

Increasing the Connection Speed

If you want to speed up the process of connecting to the data store, you can disable several of the connection checks that the connector performs.

⚠ Important:

Enabling these options can speed up the connection process, but may result in errors. In particular, the `ServerVersion` must match the version number of the server, otherwise errors may occur.

To increase the connector's connection speed:

1. To bypass the connection testing process, set the `FastConnection` property to 1.
2. To bypass the server version check, set the `ServerVersion` property to the version number of the Spark server that you are connecting to.

For example, to connect to Spark 2.4.0, set the `ServerVersion` property to 2.4.0.

Configuring SSL

Note:

In this documentation, "SSL" indicates both TLS (Transport Layer Security) and SSL (Secure Sockets Layer). The connector supports industry-standard versions of TLS/SSL.

If you are connecting to a Spark server that has Secure Sockets Layer (SSL) enabled, you can configure the connector to connect to an SSL-enabled socket. When connecting to a server over SSL, the connector uses one-way authentication to verify the identity of the server.

One-way authentication requires a signed, trusted SSL certificate for verifying the identity of the server. You can configure the connector to access a specific TrustStore or KeyStore that contains the appropriate certificate. If you do not specify a TrustStore or KeyStore, then the connector uses the default Java TrustStore named `jssecacerts`. If `jssecacerts` is not available, then the connector uses `cacerts` instead.

You provide this information to the connector in the connection URL. For more information about the syntax of the connection URL, see [Building the Connection URL](#) on page 13.

To configure SSL:

1. Set the `SSL` property to 1.
2. If you are not using one of the default Java TrustStores, then do one of the following:
 - Create a TrustStore and configure the connector to use it:
 - a. Create a TrustStore containing your signed, trusted server certificate.
 - b. Set the `SSLTrustStore` property to the full path of the TrustStore.
 - c. Set the `SSLTrustStorePwd` property to the password for accessing the TrustStore.
 - d. If the TrustStore is not a JKS TrustStore, set the `SSLTrustStoreType` property to the correct type.
 - e. To specify a Java Security API provider, set the `SSLTrustStoreProvider` property to the name of the provider.
 - Or, create a KeyStore and configure the connector to use it:

- a. Create a `KeyStore` containing your signed, trusted server certificate.
 - b. Set the `SSLKeyStore` property to the full path of the `KeyStore`.
 - c. Set the `SSLKeyStorePwd` property to the password for accessing the `KeyStore`.
 - d. If the `KeyStore` is not a `JKS KeyStore`, set the `SSLKeyStoreType` property to the correct type.
 - e. To specify a Java Security API provider, set the `SSLKeyStoreProvider` property to the name of the provider.
3. Optionally, to allow the SSL certificate used by the server to be self-signed, set the `AllowSelfSignedCerts` property to 1.

⚠ Important:

When the `AllowSelfSignedCerts` property is set to 1, SSL verification is disabled. The connector does not verify the server certificate against the trust store, and does not verify if the server's host name matches the common name or subject alternative names in the server certificate.

4. Optionally, to allow the common name of a CA-issued certificate to not match the host name of the Spark server, set the `CAIssuedCertNamesMismatch` property to 1.
5. If you want the connector to use the subject alternative names of the certificate instead of the common name when checking if the certificate name matches the host name of the Spark server, then set the following properties:
 - a. Make sure that the `AllowSelfSignedCerts` property is set to 0.
 - b. Set the `CAIssuedCertNamesMismatch` property to 1 if you have not already done so.
 - c. Set the `SubjectAlternativeNamesHostNames` property to 1.

For example, the following connection URL connects to a data source using username and password (LDAP) authentication, with SSL enabled:

```
jdbc:spark://localhost:10000;AuthMech=3;SSL=1;
SSLKeyStore=C:\\Users\\bsmith\\Desktop\\keystore.jks;SSLKeyStorePwd=simbaSSL123;UID=spark;PWD=simba123
```

📘 Note:

For more information about the connection properties used in SSL connections, see [Connector Configuration Options](#) on page 44.

Configuring Proxy Connections

You can configure the connector to connect through a proxy server instead of connecting directly to the Spark service. When connecting through a proxy server, the connector supports basic authentication.

Note:

The connector currently only supports SOCKS proxies.

You provide the configuration information to the connector in the connection URL. For more information about the syntax of the connection URL, see [Building the Connection URL](#) on page 13.

To configure a proxy connection:

1. Set the `UseProxy` property to 1.
2. Set the `ProxyHost` property to the IP address or host name of your proxy server.
3. Set the `ProxyPort` property to the port that the proxy server uses to listen for client connections.
4. For authentication with the proxy server:
 - a. Set the `ProxyAuth` property to 1.
 - b. Set the `ProxyUID` property to your user name for accessing the server.
 - c. Set the `ProxyPWD` property to your password for accessing the server.

Configuring Virtual Private Cloud (VPC) Services

You can configure the connector to connect to Spark using a Virtual Private Cloud (VPC) service. To do this, use the following connection properties:

- `SocketFactory`
- `SocketFactoryArg`
- `DnsResolver`
- `DnsResolverArg`

The `SocketFactory` property extends `javax.net.SocketFactory`, and the `DnsResolver` property implements `com.interfaces.networking.CustomDnsResolver`. The `SocketFactoryArg` and `DnsResolverArg` properties pass any required arguments to these services.

The properties in the following instructions are all optional, and only need to be used if you are connecting through the relevant service.

To configure the connector to use a VPC:

1. If necessary, set the `SocketFactory` property to the fully-qualified class path for a class that extends `javax.net.SocketFactory` and provides the socket factory implementation.
2. If necessary, set the `SocketFactoryArg` to a string argument to pass to the constructor of the class indicated by the `SocketFactory` property.
3. If necessary, set the `DnsResolver` property to the fully-qualified class path for a class that extends the `DnsResolver` interface for the connector, `com.interfaces.networking.CustomDnsResolver`.
4. If necessary, set the `DnsResolverArg` to a string argument to pass to the constructor of the class indicated by the `DnsResolver` property.

For example, the following connection URLs show how to connect to data sources using the supported VPCs.

Using `SocketFactory`:

```
jdbc:  
spark  
://localhost:10000;UID=jsmith;SocketFactory=com.  
simba  
.junit.jdbc.utils.CustomSocketFactory;SocketFactoryArg=Args;
```

Using DnsResolver:

```
jdbc:  
spark  
://localhost:10000;UID=jsmith;DnsResolver=com.  
simba.junit.jdbc.utils.TestDnsResolver;DnsResolverArg=agrs;
```

Using both SocketFactory and DnsResolver:

```
jdbc:spark://localhost:10000;UID=jsmith;DnsResolver=com.simba  
.junit.jdbc.utils.TestDnsResolver;DnsResolverArg=Agrs;SocketF  
actory=com.  
simba  
.junit.jdbc.utils.CustomSocketFactory;SocketFactoryArg=Args;
```

Configuring AOSS Dynamic Service Discovery

You can configure the connector to discover Spark services via the DataStax AlwaysOn SQL Service (AOSS). When service discovery is enabled, the connector connects to Spark servers that are registered against AOSS.

For detailed instructions, see the following:

- [Configuring AOSS Connections](#) on page 34
- [Configuring SSL for AOSS Connections](#) on page 35

Configuring AOSS Connections

Enable service discovery through AOSS by specifying one or more AOSS endpoints for the connector to connect to.

You provide this information to the connector in the connection URL. For more information about the syntax of the connection URL, see [Building the Connection URL](#) on page 13.

To configure AOSS connections:

1. Set the `AOSSStatusEndpoints` property to a comma-separated list of one or more AOSS endpoints, with each endpoint specified in the following format:

```
[AOSS_IP]:[AOSS_Port]
```

The variables are defined as follows:

- *[AOSS_IP]* is the IP address of the endpoint.
 - *[AOSS_Port]* is the port number of the endpoint.
2. If the AOSS endpoint requires authentication, do the following:
 - a. Set the `AOSS_AuthMech` property to 3.
 - b. Optionally, set the `AOSS_UID` property to the user name that you use to access the endpoint. If you do not set this property, the connector uses the value from the `UID` property.
 - c. Optionally, set the `AOSS_PWD` property to the password corresponding to the user name you provided. If you do not set this property, the connector uses the value from the `PWD` property.
 3. If the AOSS endpoint supports SSL, you can encrypt the connection with SSL. For more information, see [Configuring SSL for AOSS Connections](#) on page 35.

4. Optionally, to specify how long the TCP socket waits for a response from an AOSS endpoint before timing out the operation, set the `AOSSStatusRequestTimeout` property to the number of seconds to wait.

For example, the following connection URL specifies one endpoint that requires authentication:

```
jdbc:spark://AOSSStatusEndpoints=191.123.255:8000;AOSS_AuthMech=3;AOSS_UID=mjohnson;AOSS_PWD=simbaservice12345;
```

As another example, the following connection URL specifies multiple endpoints that do not require authentication:

```
jdbc:spark://AOSSStatusEndpoints=191.123.255:8000,192.168.222.160:8000,192.201.220:8000;
```

Configuring SSL for AOSS Connections

Note:

In this documentation, "SSL" indicates both TLS (Transport Layer Security) and SSL (Secure Sockets Layer). The connector supports industry-standard versions of TLS/SSL.

If you are connecting to an AOSS endpoint that has Secure Sockets Layer (SSL) enabled, you can configure the connector to connect to an SSL-enabled socket.

When SSL is enabled for AOSS connections, by default the connector uses the same SSL settings that have been configured for the Spark server connection. For information about how SSL settings are determined for the Spark server connection, see [Configuring SSL](#) on page 29. Otherwise, to configure different SSL settings for your AOSS connections, see the instructions below.

The following property settings must be specified in the connection URL. For more information about the syntax of the connection URL, see [Building the Connection URL](#) on page 13.

To configure SSL for AOSS connections:

1. To enable SSL, set the `AOSS_SSL` property to 1.
2. If you are not using the TrustStore or KeyStore that has been configured for the Spark server connection, then do one of the following:

- Create a TrustStore and configure the connector to use it for the AOSS connection:
 - a. Create a TrustStore containing your signed, trusted AOSS endpoint certificate.
 - b. Set the `AOSS_SSLTrustStore` property to the full path of the TrustStore.
 - c. Set the `AOSS_SSLTrustStorePwd` property to the password for accessing the TrustStore.
 - Or, create a KeyStore and configure the connector to use it for the AOSS connection:
 - a. Create a KeyStore containing your signed, trusted AOSS endpoint certificate.
 - b. Set the `AOSS_SSLKeyStore` property to the full path of the KeyStore.
 - c. Set the `AOSS_SSLKeyStorePwd` property to the password for accessing the KeyStore.
3. Optionally, to allow the SSL certificate used by the endpoint to be self-signed, set the `AOSS_AllowSelfSignedCerts` property to 1.

⚠ Important:

When the `AOSS_AllowSelfSignedCerts` property is set to 1, SSL verification is disabled. The connector does not verify the endpoint's certificate against the trust store, and does not verify if the endpoint's host name matches the common name or subject alternative names in the endpoint's certificate.

4. Optionally, to allow the common name of a CA-issued certificate to not match the host name of the endpoint, set the `AOSS_CAIssuedCertNamesMismatch` property to 1.
5. If you want the connector to use the subject alternative names of the certificate instead of the common name when checking if the certificate name matches the host name of the endpoint, then do the following:
- a. Make sure that the `AOSS_AllowSelfSignedCerts` property is set to 0.
 - b. Set the `AOSS_CAIssuedCertNamesMismatch` property to 1 if you have not already done so.
 - c. Set the `AOSS_SubjectAlternativeNamesHostNames` property to 1.

For example, the following connection URL enables SSL for an AOSS connection:

```
jdbc:spark://AOSSStatusEndpoints=191.123.255:8000;AOSS_
SSL=1;AOSS_SSLKeyStore=C:\\Users\\bsmith\\Desktop\\aoss_
keystore.jks;AOSS_SSLKeyStorePwd=simbaSSL456;
```

Note:

For more information about the connection properties used in SSL connections, see [Connector Configuration Options](#) on page 44

Configuring Logging

To help troubleshoot issues, you can enable logging in the connector.

⚠ Important:

Only enable logging long enough to capture an issue. Logging decreases performance and can consume a large quantity of disk space.

The settings for logging apply to every connection that uses the Simba Apache Spark JDBC Connector, so make sure to disable the feature after you are done using it.

In the connection URL, set the `LogLevel` key to enable logging at the desired level of detail. The following table lists the logging levels provided by the Simba Apache Spark JDBC Connector, in order from least verbose to most verbose.

LogLevel Value	Description
0	Disable all logging.
1	Log severe error events that lead the connector to abort.
2	Log error events that might allow the connector to continue running.
3	Log events that might result in an error if action is not taken.
4	Log general information that describes the progress of the connector.
5	Log detailed information that is useful for debugging the connector.
6	Log all connector activity.

To enable logging:

1. Set the `LogLevel` property to the desired level of information to include in log files.

2. Set the `LogPath` property to the full path to the folder where you want to save log files. To make sure that the connection URL is compatible with all JDBC applications, escape the backslashes (`\`) in your file path by typing another backslash.

For example, the following connection URL enables logging level 3 and saves the log files in the `C:\temp` folder:

```
jdbc:spark://localhost:11000;LogLevel=3;LogPath=C:\\temp
```

3. To make sure that the new settings take effect, restart your JDBC application and reconnect to the server.

The Simba Apache Spark JDBC Connector produces the following log files in the location specified in the `LogPath` property:

- A `SparkJDBC_driver.log` file that logs connector activity that is not specific to a connection.
- A `SparkJDBC_connection_[Number].log` file for each connection made to the database, where `[Number]` is a number that identifies each log file. This file logs connector activity that is specific to the connection.

If the `LogPath` value is invalid, then the connector sends the logged information to the standard output stream (`System.out`).

To disable logging:

1. Set the `LogLevel` property to 0.
2. To make sure that the new setting takes effect, restart your JDBC application and reconnect to the server.

Features

More information is provided on the following features of the Simba Apache Spark JDBC Connector:

- [SQL Query versus HiveQL Query](#) on page 40
- [Data Types](#) on page 40
- [Catalog and Schema Support](#) on page 41
- [Write-back](#) on page 41
- [Dynamic Service Discovery using DataStax AOSS](#) on page 42
- [Security and Authentication](#) on page 42

SQL Query versus HiveQL Query

The native query language supported by Spark is HiveQL. HiveQL is a subset of SQL-92. However, the syntax is different enough that most applications do not work with native HiveQL.

Data Types

The Simba Apache Spark JDBC Connector supports many common data formats, converting between Spark, SQL, and Java data types.

The following table lists the supported data type mappings.

Spark Type	SQL Type	Java Type
BIGINT	BIGINT	java.math.BigInteger
BINARY	VARBINARY	byte[]
BOOLEAN	BOOLEAN	Boolean
DATE	DATE	java.sql.Date
DECIMAL	DECIMAL	java.math.BigDecimal
DOUBLE	DOUBLE	Double
FLOAT	REAL	Float

Spark Type	SQL Type	Java Type
INT	INTEGER	Long
SMALLINT	SMALLINT	Integer
TIMESTAMP	TIMESTAMP	java.sql.Timestamp
TINYINT	TINYINT	Short
VARCHAR	VARCHAR	String

Catalog and Schema Support

The Simba Apache Spark JDBC Connector supports both catalogs and schemas to make it easy for the connector to work with various JDBC applications. Since Spark only organizes tables into schemas/databases, the connector provides a synthetic catalog named SPARK under which all of the schemas/databases are organized. The connector also maps the JDBC schema to the Spark schema/database.

Note:

The synthetic SPARK catalog only applies to servers that do not support multiple catalogs. For servers that do, the connector returns their catalogs as is.

Note:

Setting the `CatalogSchemaSwitch` connection property to `1` will cause Spark catalogs to be treated as schemas in the connector as a restriction for filtering.

Write-back

The Simba Apache Spark JDBC Connector supports translation for the following syntax when connecting to a Spark Thrift Server instance that is running Spark 1.3 or later:

- INSERT
- CREATE
- DROP

Spark does not support UPDATE or DELETE syntax.

If the statement contains non-standard SQL-92 syntax, then the connector is unable to translate the statement to SQL and instead falls back to using HiveQL.

Dynamic Service Discovery using DataStax AOSS

The Simba Apache Spark JDBC Connector can be configured to discover Spark services via the DataStax AlwaysOn SQL Service (AOSS).

For information about configuring this feature, see [Configuring AOSS Dynamic Service Discovery](#) on page 34.

Security and Authentication

To protect data from unauthorized access, some Spark data stores require connections to be authenticated with user credentials or the SSL protocol. The Simba Apache Spark JDBC Connector provides full support for these authentication protocols.

Note:

In this documentation, "SSL" indicates both TLS (Transport Layer Security) and SSL (Secure Sockets Layer). The connector supports industry-standard versions of TLS/SSL.

The connector provides mechanisms that allow you to authenticate your connection using the Kerberos protocol, your Spark user name only, or your Spark user name and password. You must use the authentication mechanism that matches the security requirements of the Spark server. For information about determining the appropriate authentication mechanism to use based on the Spark server configuration, see [Authentication Mechanisms](#) on page 20. For detailed connector configuration instructions, see [Configuring Authentication](#) on page 15.

Additionally, the connector supports SSL connections with one-way authentication. If the server has an SSL-enabled socket, then you can configure the connector to connect to it.

It is recommended that you enable SSL whenever you connect to a server that is configured to support it. SSL encryption protects data and credentials when they are transferred over the network, and provides stronger security than authentication alone. For detailed configuration instructions, see [Configuring SSL](#) on page 29.

The SSL version that the connector supports depends on the JVM version that you are using. For information about the SSL versions that are supported by each version of

Java, see "Diagnosing TLS, SSL, and HTTPS" on the Java Platform Group Product Management Blog: https://blogs.oracle.com/java-platform-group/entry/diagnosing_tls_ssl_and_https.

Note:

The SSL version used for the connection is the highest version that is supported by both the connector and the server, which is determined at connection time.

Connector Configuration Options

Connector Configuration Options lists and describes the properties that you can use to configure the behavior of the Simba Apache Spark JDBC Connector.

You can set configuration properties using the connection URL. For more information, see [Building the Connection URL](#) on page 13.

Note:

Property names and values are case-sensitive.

AllowSelfSignedCerts

Default Value	Data Type	Required
0	Integer	No

Description

This property specifies whether the connector allows the server to use self-signed SSL certificates.

- 1: The connector allows self-signed certificates.

Important:

When this property is set to 1, SSL verification is disabled. The connector does not verify the server certificate against the trust store, and does not verify if the server's host name matches the common name or subject alternative name in the server certificate.

- 0: The connector does not allow self-signed certificates.

Note:

This property is applicable only when SSL connections are enabled.

AOSS_AllowSelfSignedCerts

Default Value	Data Type	Required
The value being used for the <code>AllowSelfSignedCerts</code> property, which defaults to 0.	Integer	No

Description

This property specifies whether the connector allows the AOSS endpoint to use self-signed SSL certificates.

- 1: The connector allows self-signed certificates.

Important:

When the `AOSS_AllowSelfSignedCerts` property is set to 1, SSL verification is disabled. The connector does not verify the endpoint's certificate against the trust store, and does not verify if the endpoint's host name matches the common name or subject alternative names in the endpoint's certificate.

- 0: The connector does not allow self-signed certificates.

Note:

This property is applicable only when AOSS dynamic service discovery is enabled, and SSL is enabled for AOSS connections.

AOSS_AuthMech

Default Value	Data Type	Required
0	Integer	No

Description

This property specifies whether the connector authenticates AOSS connections.

- 0: The connector does not authenticate connections to AOSS endpoints
- 3: The connector authenticates connections to AOSS endpoints using a user name and password.

Note:

This property is applicable only when AOSS dynamic service discovery is enabled.

AOSS_CAIssuedCertsMismatch

Default Value	Data Type	Required
The value being used for the <code>CAIssuedCertsMismatch</code> property, which defaults to 0.	Integer	No

Description

This property specifies whether the connector requires the name of the CA-issued SSL certificate to match the host name of the AOSS endpoint.

- 0: The connector requires the names to match.
- 1: The connector allows the names to mismatch.

Note:

This property is applicable only when AOSS dynamic service discovery is enabled, and SSL is enabled for AOSS connections.

AOSS_PWD

Default Value	Data Type	Required
The value being used for the <code>PWD</code> property.	String	No

Description

The password corresponding to the user name that you provided using the property [AOSS_UID](#) on page 47.

Note:

This property is applicable only when AOSS dynamic service discovery is enabled.

AOSS_UID

Default Value	Data Type	Required
The value being used for the <code>UID</code> property.	String	No

Description

The user name that you use to access the AOSS endpoints.

Note:

This property is applicable only when AOSS dynamic service discovery is enabled.

AOSS_SSL

Default Value	Data Type	Required
0	Integer	No

Description

This property specifies whether the connector communicates with AOSS endpoints through SSL-enabled sockets.

- 1: The connector connects to SSL-enabled sockets.
- 0: The connector does not connect to SSL-enabled sockets.

Note:

- This property is applicable only when AOSS dynamic service discovery is enabled.
- SSL is configured independently of authentication. When authentication and SSL are both enabled, the connector performs the specified authentication method over an SSL connection.

AOSS_SSLKeyStore

Default Value	Data Type	Required
The value being used for the <code>SSLKeyStore</code> property.	String	No

Description

The full path of the Java KeyStore containing the AOSS endpoint certificate for one-way SSL authentication.

See also the property [AOSS_SSLKeyStorePwd](#) on page 48.

Note:

- This property is applicable only when AOSS dynamic service discovery is enabled, and SSL is enabled for AOSS connections.
- The Simba Apache Spark JDBC Connector accepts TrustStores and KeyStores for one-way SSL authentication. See also the property [AOSS_SSLTrustStore](#) on page 49.

AOSS_SSLKeyStorePwd

Default Value	Data Type	Required
The value being used for the <code>SSLKeyStorePwd</code> property.	Integer	No

Description

The password for accessing the Java KeyStore that you specified using the property [AOSS_SSLKeyStore](#) on page 48.

AOSS_SSLTrustStore

Default Value	Data Type	Required
The value being used for the <code>SSLTrustStore</code> property.	String	No

Description

The full path of the Java TrustStore containing the AOSS endpoint certificate for one-way SSL authentication.

See also the property [AOSS_SSLTrustStorePwd](#) on page 49.

Note:

- This property is applicable only when AOSS dynamic service discovery is enabled, and SSL is enabled for AOSS connections.
- The Simba Apache Spark JDBC Connector accepts TrustStores and KeyStores for one-way SSL authentication. See also the property [AOSS_SSLKeyStore](#) on page 48.

AOSS_SSLTrustStorePwd

Default Value	Data Type	Required
The value being used for the <code>SSLTrustStorePwd</code> property.	String	No

Description

The password for accessing the Java TrustStore that you specified using the property [AOSS_SSLTrustStore](#) on page 49.

AOSS_SubjectAlternativeNamesHostNames

Default Value	Data Type	Required
The value being used for the <code>SubjectAlternativeNamesHostNames</code> property, which defaults to 0.	Integer	No

Description

This property specifies whether the connector uses the subject alternative names of the SSL certificate instead of the common name when checking if the certificate name matches the host name of the AOSS endpoint.

- 0: The connector checks if the common name of the certificate matches the host name of the endpoint.
- 1: The connector checks if the subject alternative names of the certificate match the host name of the endpoint.

Note:

This property is applicable only when SSL with one-way authentication is enabled for AOSS connections, and the `AOSS_CAIssuedCertsMismatch` property is also enabled.

AOSSStatusEndpoints

Default Value	Data Type	Required
None	String	No

Description

One or more AOSS endpoints specified in the following format, where `[AOSS_IP]` is the IP address and `[AOSS_Port]` is the port number:

```
[AOSS_IP]:[AOSS_Port]
```

Use this property to enable the AOSS dynamic service discovery feature, which allows you to connect to Spark servers that are registered against DataStax AOSS.

When specifying multiple endpoints, use a comma-separated list. If the connector fails to connect to an endpoint, it attempts to connect to the next endpoint in the list.

AOSSStatusRequestTimeout

Default Value	Data Type	Required
30	Integer	No

Description

The number of seconds the TCP socket waits for a response from the AOSS endpoint before raising an error for the request.

AsyncExecPollInterval

Default Value	Data Type	Required
10	Integer	No

Description

The time in milliseconds between each poll for the asynchronous query execution status.

"Asynchronous" refers to the fact that the RPC call used to execute a query against Spark is asynchronous. It does not mean that JDBC asynchronous operations are supported.

Note:

This option is applicable only to HDInsight clusters.

AuthMech

Default Value	Data Type	Required
Depends on the <code>transportMode</code> setting. For more information, see TransportMode on page 71.	Integer	No

Description

The authentication mechanism to use. Set the property to one of the following values:

- 0 for No Authentication.
- 1 for Kerberos.
- 2 for User Name.
- 3 for User Name And Password.
- 11 for OAuth 2.0.

Auth_AccessToken

Default Value	Data Type	Required
None	String	Yes, if AuthMech=11.

Description

The OAuth 2.0 access token used for connecting to a server.

Auth_Flow

Default Value	Data Type	Required
0 (Token passthrough)	Integer	No

Description

This option specifies the type of OAuth authentication flow that the connector uses when the `AuthMech` property is set to 11.

When this option is set to Token Passthrough (0), the connector uses the access token specified by the Access Token (`Auth_AccessToken`) option to authenticate the connection to the server. For more information, see [Auth_AccessToken](#) on page 52.

CAIssuedCertsMismatch

Default Value	Data Type	Required
0	Integer	No

Description

This property specifies whether the connector requires the name of the CA-issued SSL certificate to match the host name of the Spark server.

- 0: The connector requires the names to match.
- 1: The connector allows the names to mismatch.

Note:

This property is applicable only when SSL connections are enabled.

CatalogSchemaSwitch

Default Value	Data Type	Required
0	Integer	No

Description

This property specifies whether the connector treats Spark catalogs as schemas or as catalogs.

- 1: The connector treats Spark catalogs as schemas as a restriction for filtering.
- 0: Spark catalogs are treated as catalogs, and Spark schemas are treated as schemas.

DecimalColumnScale

Default Value	Data Type	Required
10	Integer	No

Description

The maximum number of digits to the right of the decimal point for numeric data types.

DefaultStringLength

Default Value	Data Type	Required
255	Integer	No

Description

The maximum number of characters that can be contained in STRING columns. The range of `DefaultStringLength` is 0 to 32767.

By default, the columns metadata for Spark does not specify a maximum data length for STRING columns.

DelegationUID

Default Value	Data Type	Required
None	String	No

Description

Use this option to delegate all operations against Spark to a user that is different than the authenticated user for the connection.

Note:

This option is applicable only when connecting to a Spark Thrift Server instance that supports this feature.

DnsResolver

Default Value	Data Type	Required
None	String	No

Description

The fully-qualified class path for a class that extends the `DnsResolver` interface provided by the connector,

`com.interfaces.networking.CustomDnsResolver`. Using a custom `DnsResolver` enables you to provide your own resolver logic.

DnsResolverArg

Default Value	Data Type	Required
None	String	No

Description

A string argument to pass to the constructor of the class indicated by the `DnsResolver` property.

FastConnection

Default Value	Data Type	Required
0	Integer	No

Description

This property specifies whether the connector bypasses the connection testing process. Enabling this option can speed up the connection process, but may result in errors.

- 1: The connector connects to the data source without first testing the connection.
- 0: The connector tests the connection before connecting to the data source.

http.header.

Default Value	Data Type	Required
None	String	No

Description

Set a custom HTTP header by using the following syntax, where *[HeaderKey]* is the name of the header to set and *[HeaderValue]* is the value to assign to the header:

```
http.header.[HeaderKey]=[HeaderValue]
```

For example:

```
http.header.AUTHENTICATED_USER=john
```

After the connector applies the header, the `http.header.` prefix is removed from the DSN entry, leaving an entry of *[HeaderKey]=[HeaderValue]*

The example above would create the following custom HTTP header:

```
AUTHENTICATED_USER: john
```

Note:

- The `http.header.` prefix is case-sensitive.
- This option is applicable only when you are using HTTP as the Thrift transport protocol. For more information, see [TransportMode](#) on page 71.

httpPath

Default Value	Data Type	Required
None	String	Yes, if <code>transportMode=http.</code>

Description

The partial URL corresponding to the Spark server.

The connector forms the HTTP address to connect to by appending the `httpPath` value to the host and port specified in the connection URL. For example, to connect to

the HTTP address `http://localhost:10002/cliservice`, you would use the following connection URL:

```
jdbc:spark://localhost:10002;AuthMech=3;transportMode=http;
httpPath=cliservice;UID=jsmith;PWD=simba123;
```

Note:

By default, Spark servers use `cliservice` as the partial URL.

IgnoreTransactions

Default Value	Data Type	Required
0	Boolean	No

Description

This property specifies whether the connector ignores transaction-related operations or returns an error.

- 1: The connector ignores any transaction related operations and returns success.
- 0: The connector returns an "operation not supported" error if it attempts to run a query that contains transaction related operations.

KrbAuthType

Default Value	Data Type	Required
0	Integer	No

Description

This property specifies how the connector obtains the Subject for Kerberos authentication.

- 0: The connector automatically detects which method to use for obtaining the Subject:
 1. First, the connector tries to obtain the Subject from the current thread's inherited `AccessControlContext`. If the `AccessControlContext` contains

multiple Subjects, the connector uses the most recent Subject.

2. If the first method does not work, then the connector checks the `java.security.auth.login.config` system property for a JAAS configuration. If a JAAS configuration is specified, the connector uses that information to create a `LoginContext` and then uses the Subject associated with it.
 3. If the second method does not work, then the connector checks the `KRB5_CONFIG` and `KRB5CCNAME` system environment variables for a Kerberos ticket cache. The connector uses the information from the cache to create a `LoginContext` and then uses the Subject associated with it.
- 1: The connector checks the `java.security.auth.login.config` system property for a JAAS configuration. If a JAAS configuration is specified, the connector uses that information to create a `LoginContext` and then uses the Subject associated with it.
 - 2: The connector checks the `KRB5_CONFIG` and `KRB5CCNAME` system environment variables for a Kerberos ticket cache. The connector uses the information from the cache to create a `LoginContext` and then uses the Subject associated with it.

KrbHostFQDN

Default Value	Data Type	Required
None	String	Yes, if <code>AuthMech=1</code> .

Description

The fully qualified domain name of the Spark Thrift Server host.

KrbRealm

Default Value	Data Type	Required
Depends on your Kerberos configuration	String	No

Description

The realm of the Spark Thrift Server host.

If your Kerberos configuration already defines the realm of the Spark Thrift Server host as the default realm, then you do not need to configure this property.

KrbServiceName

Default Value	Data Type	Required
None	String	Yes, if <code>AuthMech=1</code> .

Description

The Kerberos service principal name of the Spark server.

LogLevel

Default Value	Data Type	Required
0	Integer	No

Description

Use this property to enable or disable logging in the connector and to specify the amount of detail included in log files.

Important:

Only enable logging long enough to capture an issue. Logging decreases performance and can consume a large quantity of disk space.

The settings for logging apply to every connection that uses the Simba Apache Spark JDBC Connector, so make sure to disable the feature after you are done using it.

Set the property to one of the following numbers:

- 0: Disable all logging.
- 1: Enable logging on the FATAL level, which logs very severe error events that will lead the connector to abort.
- 2: Enable logging on the ERROR level, which logs error events that might still allow the connector to continue running.
- 3: Enable logging on the WARNING level, which logs events that might result in an error if action is not taken.
- 4: Enable logging on the INFO level, which logs general information that describes the progress of the connector.

- 5: Enable logging on the DEBUG level, which logs detailed information that is useful for debugging the connector.
- 6: Enable logging on the TRACE level, which logs all connector activity.

When logging is enabled, the connector produces the following log files in the location specified in the `LogPath` property:

- A `SparkJDBC_driver.log` file that logs connector activity that is not specific to a connection.
- A `SparkJDBC_connection_[Number].log` file for each connection made to the database, where `[Number]` is a number that identifies each log file. This file logs connector activity that is specific to the connection.

If the `LogPath` value is invalid, then the connector sends the logged information to the standard output stream (`System.out`).

LogPath

Default Value	Data Type	Required
The current working directory	String	No

Description

The full path to the folder where the connector saves log files when logging is enabled.

Note:

To make sure that the connection URL is compatible with all JDBC applications, it is recommended that you escape the backslashes (`\`) in your file path by typing another backslash.

OCIProfile

Default Value	Data Type	Required
DEFAULT	String	No

Description

The name of the OCI profile to use for the connection. The connector retrieves the named profile from the configuration file, and uses its credentials for the connection.

If the named profile cannot be opened, the connector switches to token-based authentication.

OCIConfigFile

Default Value	Data Type	Required
None	String	No

Description

The absolute path to the OCI configuration file to use for the connection.

Note:

If this property is specified, the connector ignores the `OCI_CLI_CONFIG_FILE` environment variable when attempting to locate the configuration file.

PreparedMetaLimitZero

Default Value	Data Type	Required
0	Integer	No

Description

This property specifies whether the `PreparedStatement.getMetadata()` call will request metadata from the server with `LIMIT 0`.

- 1: The `PreparedStatement.getMetadata()` call uses `LIMIT 0`.
- 0: The `PreparedStatement.getMetadata()` call does not use `LIMIT 0`.

ProxyAuth

Default Value	Data Type	Required
0	Integer	No

Description

This option specifies whether the proxy server that you are connecting to requires authentication.

- 1: The proxy server that you are connecting to requires authentication.
- 0: The proxy server that you are connecting to does not require authentication.

ProxyHost

Default Value	Data Type	Required
None	String	Yes, if connecting through a proxy server.

Description

The IP address or host name of your proxy server.

ProxyPort

Default Value	Data Type	Required
None	Integer	Yes, if connecting through a proxy server.

Description

The listening port of your proxy server.

ProxyPWD

Default Value	Data Type	Required
None	String	Yes, if connecting through a proxy server that requires authentication.

Description

The password that you use to access the proxy server.

ProxyUID

Default Value	Data Type	Required
None	String	Yes, if connecting through a proxy server that requires authentication.

Description

The user name that you use to access the proxy server.

PWD

Default Value	Data Type	Required
None	String	Yes, if <code>AuthMech=3</code> .

Description

The password corresponding to the user name that you provided using the property [UID](#) on page 72.

RateLimitRetry

Default Value	Data Type	Required
1	Integer	No

Description

This option specifies whether the connector retries operations that receive HTTP 429 responses if the server response is returned with `Retry-After` headers.

- 1: The connector retries the operation until the time limit specified by `RateLimitRetryTimeout` is exceeded. For more information, see [RateLimitRetryTimeout](#) on page 64.
- 0: The connector does not retry the operation, and returns an error message.

RateLimitRetryTimeout

Default Value	Data Type	Required
120	Integer	No

Description

The number of seconds that the connector waits before stopping an attempt to retry an operation when the operation receives an HTTP 429 response with `Retry-After` headers.

See also [RateLimitRetry](#) on page 63.

RowsFetchedPerBlock

Default Value	Data Type	Required
10000	Integer	No

Description

The maximum number of rows that a query returns at a time.

Any positive 32-bit integer is a valid value, but testing has shown that performance gains are marginal beyond the default value of 10000 rows.

ServerVersion

Default Value	Data Type	Required
AUTO	String	No

Description

The version number of the data server. This option is used to bypass the connector's server version check. This can speed up the connection process, but may result in errors.

If this option is not set or is set to `AUTO`, the connector checks the version of the server when a connection is made.

Otherwise, this option should be set to the version number of the server, in the format:

```
[MajorVersion].[MinorVersion].[PatchNumber]
```

For example, `ServerVersion=2.4.0` indicates that the connector is connecting to Spark 2.4.0.

⚠ Important:

If this option is set, it must match the version of the server, otherwise errors may occur.

SocketFactory

Default Value	Data Type	Required
None	String	No

Description

The fully-qualified class path for a class that extends `javax.net.SocketFactory` and provides the socket factory implementation. Using a custom `SocketFactory` enables you to customize the socket that the connector uses.

SocketFactoryArg

Default Value	Data Type	Required
None	String	No

Description

A string argument to pass to the constructor of the class indicated by the `SocketFactory` property.

SocketTimeout

Default Value	Data Type	Required
0	Integer	No

Description

The number of seconds that the TCP socket waits for a response from the server before raising an error on the request.

When this property is set to 0, the connection does not time out.

SparkServerType

Default Value	Data Type	Required
None	String	No

Description

The type of cluster that the connector connects to:

- `DFI`: The connection is for a DFI cluster. When this value is specified, the only available authentication methods are the API signing key and token-based authentication. For more information, see [Using an API Signing Key](#) on page 19 and [Using Token-Based Authentication](#) on page 20.
- `Other`: The connection is for a regular Spark cluster. When this value is specified, the authentication method is specified using the `AuthMech` configuration property. For more information, see [AuthMech](#) on page 52.

SSL

Default Value	Data Type	Required
0	Integer	No

Description

This property specifies whether the connector communicates with the Spark server through an SSL-enabled socket.

- 1: The connector connects to SSL-enabled sockets.
- 2: The connector connects to SSL-enabled sockets using two-way authentication.
- 0: The connector does not connect to SSL-enabled sockets.

Note:

SSL is configured independently of authentication. When authentication and SSL are both enabled, the connector performs the specified authentication method over an SSL connection.

SSLKeyStore

Default Value	Data Type	Required
None	String	No

Description

The full path of the Java KeyStore containing the server certificate for one-way SSL authentication.

See also the property [SSLKeyStorePwd](#) on page 68.

Note:

The Simba Apache Spark JDBC Connector accepts TrustStores and KeyStores for one-way SSL authentication. See also the property [SSLTrustStore](#) on page 68.

SSLKeyStoreProvider

Default Value	Data Type	Required
None	String	No

Description

The provider of the Java Security API for the KeyStore that is being used for one-way SSL authentication.

SSLKeyStorePwd

Default Value	Data Type	Required
None	Integer	Yes, if you are using a KeyStore for connecting over SSL.

Description

The password for accessing the Java KeyStore that you specified using the property [SSLKeyStore](#) on page 67.

SSLKeyStoreType

Default Value	Data Type	Required
JKS	String	No

Description

The type of Java KeyStore that is being used for one-way SSL authentication.

SSLTrustStore

Default Value	Data Type	Required
<code>jssecacerts</code> , if it exists. If <code>jssecacerts</code> does not exist, then <code>cacerts</code> is used. The default location of <code>cacerts</code> is <code>jre\lib\security\</code> .	String	No

Description

The full path of the Java TrustStore containing the server certificate for one-way SSL authentication.

If the trust store requires a password, provide it using the property `SSLTrustStorePwd`. See [SSLTrustStorePwd](#) on page 69.

Note:

The Simba Apache Spark JDBC Connector accepts TrustStores and KeyStores for one-way SSL authentication. See also the property [SSLKeyStore](#) on page 67.

SSLTrustStoreProvider

Default Value	Data Type	Required
None	String	No

Description

The provider of the Java Security API for the TrustStore that is being used for one-way SSL authentication.

SSLTrustStorePwd

Default Value	Data Type	Required
None	String	Yes, if using a TrustStore.

Description

The password for accessing the Java TrustStore that you specified using the property [SSLTrustStore](#) on page 68.

SSLTrustStoreType

Default Value	Data Type	Required
JKS	String	No

Description

The type of Java TrustStore that is being used for one-way SSL authentication.

StripCatalogName

Default Value	Data Type	Required
1	Integer	No

Description

This property specifies whether the connector removes catalog names from query statements if translation fails or if the `UseNativeQuery` property is set to 1.

- 1: If query translation fails or if the `UseNativeQuery` property is set to 1, then the connector removes catalog names from the query statement.
- 0: The connector does not remove catalog names from query statements.

SubjectAlternativeNamesHostNames

Default Value	Data Type	Required
0	Integer	No

Description

This property specifies whether the connector uses the subject alternative names of the SSL certificate instead of the common name when checking if the certificate name matches the host name of the Spark server.

- 0: The connector checks if the common name of the certificate matches the host name of the server.
- 1: The connector checks if the subject alternative names of the certificate match the host name of the server.

Note:

This property is applicable only when SSL with one-way authentication is enabled, and the `CAIssuedCertsMismatch` property is also enabled.

TemporarilyUnavailableRetry

Default Value	Data Type	Required
1	Integer	No

Description

This option specifies whether the connector retries operations that receive HTTP 503 responses if the server response is returned with `Retry-After` headers.

- 1: The connector retries the operation until the time limit specified by `TemporarilyUnavailableRetryTimeout` is exceeded. For more information, see [TemporarilyUnavailableRetryTimeout](#) on page 71.
- 0: The connector does not retry the operation, and returns an error message.

TemporarilyUnavailableRetryTimeout

Default Value	Data Type	Required
900	Integer	No

Description

The number of seconds that the connector waits before stopping an attempt to retry an operation when the operation receives an HTTP 503 response with `Retry-After` headers.

See also [TemporarilyUnavailableRetry](#) on page 71.

TransportMode

Default Value	Data Type	Required
sasl	String	No

Description

The transport protocol to use in the Thrift layer.

- `binary`: The connector uses the Binary transport protocol.

If you use this setting and do not specify the `AuthMech` property, then the connector uses `AuthMech=0` by default. This setting is valid only when the `AuthMech` property is set to 0 or 3.

- `sasl`: The connector uses the SASL transport protocol.

If you use this setting but do not specify the `AuthMech` property, then the connector uses `AuthMech=2` by default. This setting is valid only when the `AuthMech` property is set to 1, 2, or 3.

- `http`: The connector uses the HTTP transport protocol.

If you use this setting but do not specify the `AuthMech` property, then the connector uses `AuthMech=3` by default. This setting is valid only when the `AuthMech` property is set to 3.

If you set this property to `http`, then the port number in the connection URL corresponds to the HTTP port rather than the TCP port, and you must specify the `httpPath` property. For more information, see [httpPath](#) on page 56.

UID

Default Value	Data Type	Required
<code>spark</code>	String	Yes, if <code>AuthMech=3</code> .

Description

The user name that you use to access the Spark server.

UseNativeQuery

Default Value	Data Type	Required
0	Integer	No

Description

This property specifies whether the connector transforms the queries emitted by applications.

- 1: The connector does not transform the queries emitted by applications, so the native query is used.

- 0: The connector transforms the queries emitted by applications and converts them into an equivalent form in HiveQL.

Note:

If the application is Spark-aware and already emits HiveQL, then enable this option to avoid the extra overhead of query transformation.

UserAgentEntry

Default Value	Data Type	Required
None	String	No

Description

The User-Agent entry to be included in the HTTP request. This value is in the following format:

```
[ProductName]/[ProductVersion] [Comment]
```

Where:

- *[ProductName]* is the name of the application, with no spaces.
- *[ProductVersion]* is the version number of the application.
- *[Comment]* is an optional comment. Nested comments are not supported.

Only one User-Agent entry may be included.

UseProxy

Default Value	Data Type	Required
0	Integer	No

Description

This option specifies whether the connector connects through a proxy server.

- 1: The connector connects to a proxy server based on the information provided in `ProxyAuth`, `ProxyHost`, `ProxyPort`, `ProxyUID`, and `ProxyPWD` keys.
- 0: The connector connects to the Spark server directly.

i Note:

The connector currently only supports SOCKS proxies.

Third-Party Trademarks

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Apache Spark, Apache, and Spark are trademarks or registered trademarks of The Apache Software Foundation or its subsidiaries in Canada, United States and/or other countries.

All other trademarks are trademarks of their respective owners.